12

THE

Standard Wood Turning Co.,

Nos. 315 & 317 WASHINGTON ST.,

Jersey City, N. J.

DIPLOMA AND MEDAL OF EXCELLENCE, THE ONLY AWARD

BY



The American Institute, New York, Exhibition of Oct. and Nov., 1880,

—AND—

Medal of Superiority, Exhibition of Oct. and Nov., 1881,

—FOR—

Machine Turned Balusters.

COPY OF JUDGES' REPORT.

"In our opinion, the machine turning is extremely well done, and, if expeditious, must be valuable and labor saving. The Balusters on exhibition are cleanly and smoothly cut."

Macgowan & Slipper, Printers, 30 Beekman St., New York.

.MH

Notice Romaine
the 4 others of the
Catalogs are

THE

Standard Wood Turning Co.,

Nos. 315 & 317 WASHINGTON ST.,

Jersey City, N. J.

DIPLOMA AND MEDAL OF EXCELLENCE, THE ONLY AWARD

BY



The American Institute, New York, Exhibition of Oct. and Nov., 1880,

—AND—

Medal of Superiority, Exhibition of Oct. and Nov., 1881,

—FOR—

Machine Turned Balusters.

COPY OF JUDGES' REPORT.

"In our opinion, the machine turning is extremely well done, and, if expeditious, must be valuable and labor saving. The Balusters on exhibition are cleanly and smoothly cut."

TERMS.

Cash in 30 days to parties of approved credit.

Interest will be charged after 30 days.

All accounts for the month are due the first day of each succeeding month, subject to sight draft after the 10th, without notice.

As an EXTRA INDUCEMENT FOR PROMPT CASH, two per cent. may be deducted from all bills paid ON DELIVERY.

Strangers ordering goods, to avoid unnecessary delay will please give city reference, or remit Post Office or Express Money Order, Registered Letter, or Bank Draft on New York, as in **no** case will goods be shipped on receipt of **strangers'** checks, until their value can be ascertained.

Orders for goods to be sent C. O. D. must be accompanied by at least one third their value in cash.

Boxing will be charged at cost when required for the protection of goods.

On account of the advancing cost of materials and labor, our prices will be **subject to change without notice.**

TDCAT 1886 PATPV03B812

TO THE TRADE.

We beg leave to call your attention to our **Machine Turned Balusters.** We are the owners of the U. S. Patents for the only **Baluster Machine** making a shaving cut, with the same tool used by the hand turner, but controlled by an **Iron Hand**, which cannot vary from the pattern set.

The Balusters are finished equal to those turned by hand, but are superior in being uniform in **Shape** and **Size,** obviating loss of time to the stair builder in fitting the necks in the rail.

We furnish our Balusters with Tait's Patent Dovetail, **when so ordered,** and plane square bases true with turning, at list prices.

Our Machines are now fitted to turn the regular styles of 1½, 1¾, 2, 2¼, and 2½ inches diameter, and New Styles will be constantly produced.

Our regular stock Balusters are turned 2 feet 8 inches and 2 feet 4 inches long, called "Long" and "Short," of Black Walnut, Cherry, Ash, and Black Birch.

Balusters will be turned of other woods, but will cost proportionally higher—on account of waste in cutting from plank.

Odd lengths to order at a small additional cost.

We are also prepared to execute any description of hand turned work.

THE STANDARD WOOD TURNING CO.

JAS. DAVIES,
Superintendent.

WM. J. TAIT,
Treasurer.

MACHINE TURNED BALUSTERS.

Tait's Patent Dovetail cut on any style, when so ordered, without extra charge.

(See page 5.)



No. 51	52	53	54	54B
1½ inch.	1¾ inch.	1¾ inch.	1¾ inch.	1¾ inch.
1¾ "	2 "	2 "	2 "	2 "
2 "		2¼ "	2¼ "	2¼ "

MACHINE TURNED BALUSTERS.

Square Bases, Sized and Cleaned, Straight Pins on Bottom, 1 cent extra.



No. 55	56	57	58	59
1¾ inch.	1¾ inch.	2 inch.	2 inch.	2 inch.
2 "	2 "	2¼ "	2¼ "	2¼ "
2¼ "	2¼ "	2½ "	2½ "	2½ "

HAND TURNED BALUSTERS.

Hand Turned work executed at short notice

and estimates furnished



No. 101 102 103 104 105 106 107 108 109 110

Tait's Patent Dovetail cut on any style of Machine Turned Balusters, when so ordered, without extra charge.

Fig. 1. **Fig. 2.** **Fig. 3.** **Fig. 4.**



We will also dovetail any pattern of hand turned balusters, at an additional charge of 50 cents per hundred.

The advantages of this mode of dovetailing are:

1st. The dovetails, being cut by special machinery, are uniform in size and angle, insuring a perfect fit.

2d. As the baluster can be placed in the step in any desirable position, minor defects can be disposed of to advantage.

3d. The base is not disfigured by accidental saw cuts.

4th. No danger of splitting the step, **if the mortise is reasonably correct,** as the curved portion of the baluster, being the point of least resistance, is flattened when forced in the mortise.

DIRECTIONS.—Cut the mortises in the steps for 1½, 1¾, and 2 inch balusters, ⅞ inch **square** at the top and bevelled as shown in the accompanying templet; chip off a piece of the cone in order to make a flat bearing at the back; glue and drive in as in Fig. 3; cut off the projecting portion of the cone flush with the end of the step, Fig. 2.

For 2¼ and 2½ inch balusters, retain the same bevel, but cut the mortise 1⅜ inch **square** at the top, and proportionally large at the bottom.

For those possessing a Boring Machine or a Variety Moulder, Fig. 4 is the quickest mode, as the step can be bored from the under side with a bit ground to the proper angle, or a tapered cutter placed in the top of the spindle of a Variety Moulder, and the step run up to a stop on the table.

We have perfected a **Machine** by the aid of which we can readily and accurately **SPIRAL-FLUTE** Balusters (Machine or Hand Turned), Columns, etc., etc. Estimates for Spiral Work furnished on application. This work can be done on any pattern of



No. 1 2 3 4 5 6 7

The numbers refer to the patterns of SPIRALS ONLY.

turning desired. To lessen expense, the members should be so arranged that the Spiral shall terminate in a hollow as in these cuts; the machine can then run out and finish. If it abuts against a member, hand work would be necessary to complete, adding materially to the cost.

8 9 10 11 12 13 14

This work can be done on any pattern of turning desired. To lessen expense, the members should be so arranged that the Spiral shall terminate in a hollow, as in these cuts; the machine can then run out and finish. If it abuts against a member, hand work would be necessary to complete, adding materially to the cost.



No. 500 501 502 503

The numbers refer to the patterns of SPIRALS ONLY.

TURNED SOLID NEWELS.

These Newels, not being thoroughly seasoned, sometimes check.

If specially ordered, they will be glued up of seasoned plank, at a slightly increased cost.



No. 40 41 42 43

TURNED SOLID NEWELS.

These Newels, not being thoroughly seasoned, sometimes check. If specially ordered, they will be glued up of seasoned plank, at a slightly increased cost.

No. 44

Angle Newels.
See page 23.

24½

Carved Rosettes and Band.

24

PEDESTAL NEWELS.

Observing the great reduction of late years in the price of **Ready Made Furniture,** owing to the division of labor and thorough system pursued, we have adopted the same plan in the manufacture of **Pedestal Newels; therefore variations, either over or under the sizes named, necessitating the manufacture of single Newels,** will add to the cost.

Having all the latest Improved Woodworking Machinery, we are enabled to produce our Regular Styles at much lower rates, and of superior finish to any made heretofore.

Our standard Newels are 3 ft. 7 in. from floor line to center of rail, but we add 2 in. extra to base, for adjustment.

Newels and Mantels

MADE FROM

ARCHITECTS' DESIGNS.

We use only thoroughly seasoned materials. The plain parts are filled with Wheeler's Patent Filler, and Oiled. Where panels are shown, they are Veneered with French Burl, and Polished.

Any of our Pedestal Newels may be used for gas jet, as in No. 12, by removing top ornament.

Turned Newels are also filled with Wheeler's Patent Filler, and Oiled.

Newels **Cabinet Finished** throughout at a slight additional cost.

STAVED OCTAGON.

No. 45

7 inch Base.
8 " "
9 " "
10 " "
12 " "

46

7 inch Base.
8 " "
9 " "
10 " "
12 " "



6

9 inch Base.

No. 7

9 inch Base.



25

8 inch Base.

16

8 inch Base.

No. 11

8½ inch Base.

2

9½ inch Base.



15

9 inch Base.

No. 1
11 inch Base.



14
11 inch Base.



21
12 inch Base.



No. 5
10 inch Base.



30
9½ inch Base.

23
10 inch Base.

Veneer.



No. 27
10½ inch Base.



28
11 inch Base



19
9 inch Base.

No. 4
12 inch Base.



18
12 inch Base.



9
13 inch Base.



No. 13
12 inch Base.

12
13 inch Base.

29
12 inch Base.



Fig. 9.



Fig. 10.



Fig. 2.



No. 101.



No. 104.



No. 102.

MANTELS OF ANY PATTERN

Made from Architects' Designs.



No. 103.

DIRECTIONS

Necessary for Ordering

STAIR RAILS READY TO HANG.

For Stair Railing, Straight Flight.—We require the size of rise and tread, as **sawed out on string board,** the number of **risers,** the size of cylinder from face of string to fascia, which way it turns at head of stairs, and the number of feet of straight rail required at landing, measured from the spring line of cylinder. Unless we receive plan showing otherwise, we always suppose the top riser for a straight flight of stairs to be placed at the spring of cylinder.

For Circular or Winding Stairs.—We must have an exact plan of stairs as built, giving the size of rise and tread, the location of risers in cylinder; and when there are diminished steps above or below the spring line, or joint of cylinder, give the width of each step from face of riser to face of riser, as per plan No. 1, on following page.

Sawed Pieces for Twists.—Parties wishing to order sawed pieces for twists can enclose in a letter a paper pattern, cut the exact shape of face moulds, marking the number of each kind and the thickness required, and we will saw out and forward them charging only the measurement of lumber used, with time of marking out and sawing added.

TO GET OUT THE RAIL, WE NEED:

1. The number and height of risers as sawed out on string board.
2. The width of tread as sawed out on string board.
3. Diameter of cylinder from face of string board to fascia, and which way it turns on landing.
4. Length of level rail measured from spring line of cylinder to spring line of quarter turn.
5. Length of return measured from spring line of quarter turn to wall.
6. If turnout Easement, the amount of set off, measured from a continuation of the face of string to centre of newel.
7. On what tread, and the position on the tread the turnout commences.

ANGLE NEWELS.

See page 10.

When angle newels are required, a rough sketch showing length and positions of squares and turnings must be furnished, or **we will charge for time in laying out.**



If it is desired that we should lay them out, a plan and elevation of stairs, width of string, thickness of floor, and rise and tread of stairs must be furnished.


No. 1
No. 2
No. 3
No. 4
No. 5
Newel
Cut.



MOULDED.



TOAD BACK.



DOUBLE MOULDED
EASTLAKE.

Any pattern of Rail made to order.



DOUBLE MOULDED
QUEEN ANNE.

Pine or Whitewood Balusters, Porch Columns, Gate Ornaments, and Finials.

☞ Orders for Balusters and Columns should state

LENGTH, DIAMETER, AND LENGTHS OF SQUARES.



SCROLL SAWING.

We can adapt the patterns of brackets and scrollwork shown in our cuts to suit any given dimensions.



To prevent mistakes in ordering **Brackets,** give dimensions in the following order:

1st. Projection. 2d. Length. 3d. Thickness.

4th. State width of moulding to be mitred around the top, so that a suitable square may be left.




No. 37
No. 43
No. 44
No. 36
No. 42
No. 45
No. 39
No. 35
Corner and plain Brackets sawn upon any given size to order
No. 40
No. 41
No. 30
No. 38
No. 31


Ornamental Verge Boards of new patterns.
Plain and ornamental Stair Brakes Gable Ornaments &c. various patterns.
No. 52
No. 66
No. 61
No. 67
No. 59
No. 65
No. 58
No. 49
No. 56
No. 53
No. 54
No. 64
No. 55
No. 48
No. 57
No. 60
No. 47


Barge Boards Roof Ornaments, Porch Brackets &c.
Porch Bracket
Porch Bracket
Porch Bracket
Porch Bracket

Brackets, Cornice Drops &c

In ordering Brackets on this page state size required.

Special price given upon application for any Brackets on this page.





and a large variety of other patterns Brackets of any style made to order.


Sawed Balustrades.
No 118
No 113
No 123
No 119
No 114
No 124
No 120
No 115
No 125
No 121
No 116
No 122
No 117
No 126
No 127
Sawed Balusters made any desired size; special prices given upon application.
In ordering state size required.

Scroll Sawing and Wood Turning.

NEWELS

—AND—

BALUSTERS,

STAIR RAILS OF ALL DIMENSIONS

AND PATTERNS

Worked to Order.

COLUMNS OF ALL SIZES.

THE

STANDARD WOOD TURNING CO.,

Nos. 315 and 317 Washington St.,

JERSEY CITY, N. J.

REVISED PRICE LIST,

SUBJECT TO CHANGE WITHOUT NOTICE.

MAY 1st, 1886.

TERMS:

Cash in thirty days to parties of APPROVED CREDIT. Interest will be charged after thirty days.

All accounts for the month are due the first day of each succeeding month, subject to sight draft after the 10th, without notice.

As an EXTRA INDUCEMENT FOR PROMPT CASH, two per cent. may be deducted from all bills paid ON DELIVERY.

Strangers ordering goods, to avoid unnecessary delay, will please give city reference, or remit Post Office or Express Money Order, or Bank Draft on New York, AS IN NO CASE WILL GOODS BE SHIPPED ON RECEIPT OF STRANGERS' CHECKS, UNTIL THEIR VALUE CAN BE ASCERTAINED.

Orders for goods to be sent C. O. D. must be accompanied by at least one-third their value in cash.

Boxing will be charged at cost when required for the protection of goods.

MACHINE TURNED BALUSTERS.

Dovetailed ready for use, when so ordered.

PATTERN.	SIZE.	PRICE. B. W.	PRICE. Ash or Birch.
No. 51	1½ inch.	$0.07	$0.05
" 51	1¾ "	.09	.06
" 51	2 "	.11½	.07½
" 52 or 53	1¾ "	.09½	.06½
" "	2 "	.12	.08
" "	2¼ "	.15	.10½
" 53 or 56	1¾ "	.12	.09
" "	2 "	.14	.10
" "	2¼ "	.17	.12½

SQUARE BASES.

Square Sized and Cleaned.

No. 54 Shaft, **Plain**	2 inch.	$0.12½	$0.09
" 54 " "	2¼ "	.15	.11½
" 54 " **Beaded**	2 "	.15	.11½
" 54 " "	2¼ "	.17½	.14
" 57	2 "	.13	.10
" 57	2¼ "	.16	.12½
" 57	2½ "	.20	.14½
" 58 or 59	2 "	.15½	.12½
" "	2¼ "	.18½	.15
" "	2½ "	.23	.18

FILLED WITH WHEELER'S PATENT FILLER.

Round Bases (extra) ..... 3 cents each.
Square " " ..... 4 " "

Our regular stock Balusters of Black Walnut, Ash or Birch are two feet eight inches, and two feet four inches, called long and short. Odd lengths turned, when required, at a slight additional cost.

Balusters can be turned from other woods, when ordered in quantities sufficient to warrant the adjustment of our machines.

All Turned Newels Filled with Wheeler's Patent Filler and Oiled.

TURNED SOLID NEWELS.

With Cap. No. 40.

	B. W. or Cherry.	Ash.
5 inch	$1.88	$1.50
6 "	2.50	1.65
7 "	3.25	2.25
8 "	4.00	2.75

With Square. No. 42, 43 or 44.

	B. W. or Cherry.	Ash.
	$2.50	$1.88
	3.25	2.25
	4.00	3.00
	5.00	3.75

No. 41 Octagon Shaft.

35 Cents Extra.

With Squares Cleaned and Rosettes 75 Cents Extra.

No. 24---CARVED.

Seasoned Plank, Glued Up.

	B. W. or Cherry.	Ash.
6 inch	$8.50	$6.50
7 "	9.50	7.50
8 "	11.00	8.75
9 "	13.00	9.75
10 "	14.00	10.75

No. 24 ½---SOLID.

With Squares Cleaned and Rosettes.

	B. W. or Cherry.	Ash.
	$4.50	$3.38
	5.50	4.00
	6.50	4.50

Polishing.....$1.50 Extra.

No. 45---STAVED OCTAGON NEWELS.

WARRANTED NOT TO CHECK.

BLACK WALNUT, ASH OR CHERRY.

7 inch	$4.75
8 "	5.00
9 "	5.50
10 "	6.50
12 "	8.00

No. 46---STAVED OCTAGON NEWELS.

WARRANTED NOT TO CHECK.

WITH POLISHED PANELS.

7 inch	$7.00
8 "	7.00
9 "	7.50
10 "	8.50
12 "	11.50

PEDESTAL NEWELS.

Black Walnut, Ash or Cherry. Mahogany from 15 to 20 per cent. more.

All Pedestal Newels Filled with Wheeler's Patent Filler and Oiled. Panels and Ornaments Polished.

No. 1	$14.50	No. 18	$28.00
" 2	12.00	" 19	23.00
" 4	28.00	" 21	22.00
" 5	20.00	" 23	20.00
" 6	12.00	" 25	7.50
" 7	14.00	" 27	25.00
" 10	20.00	" 28	25.00
" 11	9.00	" 30	20.00
" 14	17.50	" 9	Prices
" 15	13.50	" 12	furnished
" 16	8.50	" 13	on appplication.
" 17	16.00	" 29	

Polished Entire Newel, from $1.50 to $5.00.

STAIR RAILS.--NOT CLEANED UP.

	MOULDED.		TOAD BACK.	
	B. W.	ASH.	B. W.	ASH.
3 inch	$0.12½	$0.07		
3½ "	.14½	.07½	$0.15½	$0.08
4 "	.16	.08	.19	.09
4½ "	.21	.10	.21	.10

STAIR RAILS READY TO HANG.

Cleaned Up, Bolted to Turns and Oiled.

STRAIGHT RAIL.

Allow one foot of straight rail for each step, to which add lengths on levels, with an allowance of three feet on each flight, for waste ends, at the following prices, per foot:

Width of Rail.	MOULDED.		TOAD BACK.		EASTLAKE.		QUEEN ANNE.	
	B. W. or CHERRY.	ASH.	B. W. or CHERRY.	ASH.	B. W. or CHERRY.	ASH.	B. W. or CHERRY.	ASH.
3 inch	$0.19	$0.13			$0.27	$0.18		
3½ "	.21	.14	$0.24	$0.15	.30	.20		
4 "	.23	.15	.27	.17	.33	.22	$0.50	$0.37
4½ "	.28	.17	.30	.19	.36	.24	.55	.40

To which add what may be necessary of the *"Stair Rail Turns"* on next page.

ASH, BLACK WALNUT OR CHERRY RIGHT OR LEFT HAND TURNS.

Moulded.	Level Quarter Turns not over 4 in radius.	Straight Easements.	CYLINDERS. For Straight Flights, with return on level.		
			5 to 8 inch.	9 to 12 inch.	13 to 16 inch.
3 or 3½ in.	$1.30	$1.75	$4.00	$4.75	$7.00
4 " 4½ "	1.50	2.00	4.25	5.00	7.50
Toad Back 3½ in.	1.50	2.00	4.50	5.25	7.75
4 or 4½ "	1.60	2.25	5.00	5.75	8.25
Eastlake. 3, 3½ or 4 Inch.	3.00	4.25	8.50	9.75	12.50
Queen Ann	4.00	5.50	11.50	13.00	16.50

ORDINARY WINDING TOP CYLINDERS WITH FROM 2 TO 5 TREADS.

Size.	Moulded.		Toad Back.		Eastlake.	Queen Anne.
	3 or 3½ inch.	4 or 4½ inch.	3½ inch.	4 or 4½ inch.	3, 3½ or 4 inch.	4 or 4½ inch.
5 to 8 in	$7.50	$8.50	$8.50	$9.50	$13.50	$16.50
9 " 12 "	8.50	9.50	9.50	10.50	14.00	18.50
13 " 16 "	9.75	10.75	10.75	11.75	16.00	19.50

TURNOUT EASEMENTS.

Width of rail.	Moulded.		Toad Back.		Eastlake.		Queen Anne	
	1 or 2 treads	3 or 4 treads	1 or 2 treads	3 or 4 treads	1 or 2 treads	3 or 4 treads	1 or 2 treads	3 or 4 tr'ds
3 in.	$2.75	$3.75	$3.25	$4.25	3, 3½ inc	or 4 hes.	4 or inch	4½ es.
3½ "								
4 "	3.50	4.00	4.00	5.00	7.00	8.50	9.25	11.25
4½ "								

Extraordinary twists, or turn outs of unusual set off will be charged for according to time and material taken.

Sawed Pieces for Twists will be furnished when required, on mailing us patterns of face moulds on thin paper, and will be charged for by time and material.

CORNICE BRACKETS.

No.	Size.	SINGLE. THICKNESS. 1¼ Inch.	2 Inch.	3 Inch.	PANELLED. THICKNESS. 4 Inch.	5 Inch.
1	12 x 14		$0.10.	$0.18.		
2	10 x 12		.09.	.15.		
3	8 x 10		.08.	.10.		
4	6 x 8		.07.	.09.		
5	8 x 8		.08.	.10.		
6	10 x 12		.10.	.13.		
7	12 x 13		.15.	.20.		
8	6 x 10		.09.	.12.		
9	8 x 14		.14.	.18.		
10	12 x 13		.14.	.20.		
11	20 x 12				$0.55.	
12	26 x 26		1.25.	1.40.		
13	27 x 18	$0.70.				
14	10 x 10				.35.	
15	10 x 8				.38.	
16	12 x 18				.45.	
17	14 x 8				.35.	
18	10 x 16		.28.			
19	18 x 24		.55.	.65.		$1.00.
20	24 x 27		1.00.	1.15.		1.75.
21	18 x 19		.70.	.85.		
22	16 x 14		.25.	.30.	.40.	
23	14 x 14		.20.	.25.		
24	14 x 16		.30.	.37.		
25	7 x 14				.35.	
26	10 x 11		.30.	.40.		
27	10 x 12				.45.	
28	12 x 12		.15.	.20.		
29	10 x 12				.40.	
30	12 x 13		.23.	30.	.37.	
31	9 x 16				.45.	
32	8 x 12		.20.	.29.		
33	12 x 24					1.75.
34	8 x 11		.18.	.22.		
35	24 x 21		.75.	1.20.		
36	16 x 12		.30.	.40.	.50.	
37	22 x 16				.85.	.95.
38	9 x 20		.35.	.45.		

CORNICE BRACKETS.

(CONTINUED.)

No.	Size.	SINGLE. THICKNESS. 1¼ Inch.	2 Inch.	3 Inch.	PANELLED. THICKNESS. 4 Inch.	5 Inch.
39	11 x 11				$0.35	
40	7 x 10		$0.10	$0.15		
41	16 x 18				.35	
42	14 x 14		.40		.55	
43	24 x 24		.90	1.40		
44	7 x 12		.18	.28	.40	
45	9 x 16		.27	.37	.50	
46	18 x 18		.58	.95		
47	24 x 12					$1.70
48	6 x 9		.10			
49	28 x 16					1.70
74	10 x 12	$0.15				
75	8 x 16	.25				
86	20 x 18	.30				
87	20 x 18	.30				
88	24 x 18	.30				
89	12 x 8	.15				
90	18 x 12	.25				
94	6 x 10				.15	
95	6 x 10		.18			
96	6 x 12				.35	
97	8 x 16				.45	
98	10 x 20				.55	
99	12 x 20					.80
100	10 x 24					2.15
101	15 x 24					1.45
102	8 x 16				.58	
103	8 x 12				.30	
104	8 x 10				.25	
105	6 x 10			.28		
106	6 x 10				.25	
107	7 x 16					.75
108	10 x 7				.35	
109	12 x 16				.40	
110	7 x 10				.25	
111	10 x 6				.30	
112	12 x 14					.50

Stair Brackets, Gable Ornaments, Sawed Drapery,

SAWED AND TURNED BALUSTRADES.

Stair Brackets, Pine or Whitewood, 1-4 inch thick.

Nos. 52, 54, 55, 60, 61, and 64 ..... Each, $0.07

Gable Ornaments, 1 1-4 inch thick.

Nos. 56, 57, and 67—10 inches wide	Per foot,	$0.35
" 58, 85, and 92—16 x 10 inches	Each,	.50
" 59 and 93—16 x 10 inches	"	.60
" 91—14 x 36 inches	"	1.00

" 76, 77, 78, 79, 80, 81, 82. Price dependent on dimensions required.

Drapery, 1 inch thick.

Nos. 68—5 inches wide	Per foot,	$0.08
" 83—6 " "	"	.10
" 69—7 " "	"	.12
" 126 and 127—8 inches wide	"	.08
" 70— 8 " "	"	.10
" 71, 72, and 84—8 " "	"	.12
" 65, 66, and 73—10 inches wide	"	.35

Sawed Balustrades, 5 inches wide, 24 inches long, 1 inch thick.

Nos. 116 and 120	Each,	$0.09
" 113, 119, 123, 124, and 125	"	.10
" 118, 121, and 122	"	.11
" 114 and 117	"	.12
" 115	"	.13

Turned Balusters, Pine or Whitewood, 24 inches long.

	2 inch.	3 inch.	4 inch.
Nos. 301 to 307a ..... Each,	$0.12	$0.15	$0.23

Whitewood Newels, with Cap.

	6 inch.	7 inch.	8 inch.
No. 40 ..... Each,	$1.38	$1.62	$2.00
" 41 ..... "	1.75	2.00	2.35
" 42, no rosettes ..... "	2.13	2.50	3.00

Shelf Standards.

8, 10, and 12 inches between shoulders, Pine	Each,	$0.07
8, 10, and 12 " " " Black Walnut	"	.09

Hard Wood Mantels--Ash, Black Walnut, or Cherry.

No. 101	Length of Shelf, 5 feet 2 inches, Opening height, 3 " 0 " Width ..... 2 " 10 "	$ 8.00
No. 102	Length of Shelf, 5 " 2 " Opening height, 2 " 8 " Width ..... 2 " 5 "	18.00
No. 103	Length of Shelf, 5 " 2 " Opening height, 2 " 8 " Width ..... 2 " 5 "	30.00
No. 104	Length of Shelf, 5 " 2 " Opening height, 2 " 8 " " width. 2 " 5 "	45.00

Mirror frame, extra ..... $15.00 Summer piece, extra $4.50